


Installing Topaz eSignature Software


1. Begin by opening your browser (preferably Google Chrome).



2. Type in www.topazsystems.com into the browser or hold CTRL and left click on the linked provided here.



3. You will be brought to the Topaz Systems website.



4. Scroll down to the section titled "Software" and click on "SigPlus Installer".

← → ↻ topazsystems.com/index.html ☆ ↻

Explore Topaz ▾

New Topaz releases new HSX electronic signature pad line, Citrix Ready and ideal for remote environments. [More Information](#)

Products
Signature Pads
GemView Tablet Displays

Software
SigPlus Installer
Developer SDKs

Support
Installation Help
Remote Usage Guides

Search this site

5. Click on "T-L460-HSB-R".

Install SigPlus SigPlus Main Menu Epic EHR Return to Topaz Site

Download Topaz SigPlus Software and Drivers

Find the first few digits of the model number listed on the back of your Topaz electronic signature pad. Select from the list below. Then, choose the full model number from the selections that appear.

T-L **T-S** **TD-** **T-C** **TF-** **TM-** **T-R**

T-L Model Numbers

T-LBK460-BSB-R	T-LBK462-KAB-R	T-LBK766-BBSB-R
T-LBK460-BSB-RC	T-LBK462-KB-R	T-LBK766SE-BHSX-R
T-LBK460-HSX-R	T-L462-HSB-R	T-LBK766-BHSX-R
T-LBK460-HSB-R	T-L462-B-R	T-LBK766SE-BHSB-R
T-LBK460SE-HSB-R	T-LBK750SE-BHSB-R	T-LBK766-BHSB-R
T-LBK460-B-R	T-LBK750-BHSB-R	T-LBK766SE-BTB1-R
T-L460-BT2-R	T-LBK750SE-BTB1-R	T-LBK766SE-WFB1-R
T-L460-HSB-R	T-LBK750SE-WFB1-R	T-LBK766-WFB1-R
T-LBK462-BSB-R	T-LBK750-WFB1-R	T-LBK43L-C-BBSB-R
T-LBK462-BSB-RC	T-LBK755SE-BBSB-R	T-LBK43L-C-HSB-R
T-LBK462-HSX-R	T-LBK755-BBSB-R	T-LBK57GC-BBSB-R
T-LBK462-HSX-RC	T-LBK755SE-BHSB-R	T-LBK57GC-BHSX-R
T-LBK462-HSX-RG	T-LBK755-BHSB-R	T-LBK57GC-BHSB-R
T-LBK462-HSB-R	T-LBK755SE-BTB1-R	T-LBK57GC-BTB1-R
T-LBK462-KAHSB-R	T-LBK755SE-WFB1-R	T-LBK57GC-WFB1-R
T-LBK462-KHSB-R	T-LBK755-WFB1-R	
T-LBK462-B-R	T-LBK766SE-BBSB-R	

Epic and Topaz eSignatures

6. Click on "Download SigPlus" on the next page.

SigPlus Software

For HSB, BHSB, B, HSX, and BHSX Topaz Signature Pad Models

Please follow the instructions below to install SigPlus and begin using your Topaz® signature pad. Do not connect the pad to your computer until all steps are complete. To ensure this is the software for your signature pad model, check by looking at the sticker on the back of the device and comparing it to the "Compatible Models List" under "Links".

After SigPlus® has been installed (see required steps below), Topaz offers several plug-ins, utilities, SDKs, demos, source code, and more to meet your application needs. To view more options, select a category under "Links".

NOTE: If your company has already provided you with software to sign documents electronically, you should not install SigPlus. Speak with your IT department if you are unsure on how to proceed.

Links

- Epic User Installation
- Compatible Models List
- Plug-Ins & Utilities
- SDKs & Demos
- Remote Usage Set-Up
- Universal User Manual
- SigPlus Main Menu

Click on the "Download SigPlus" Icon.



Required Steps

Step 1

Download the Topaz SigPlus software for use with your Topaz signature pad to your computer's desktop. **Right-click on the "Download SigPlus" icon displayed here**, select "Save Link As", and choose the desktop as the save location to begin the download.

Step 2

NOTE: For pad models ending in "HSX-R" or "HSX-RG", select "HSB (USB Type)" during software installation. For other models, select your correct suffix or connection type.

Double-click on the SigPlus icon on your desktop.



7. Click on the installer to begin and click on "Yes" when asked to run the installer.

SigPlus Software

For HSB, BHSB, B, HSX, and BHSX Topaz Signature Pad Models

Please follow the instructions below to install SigPlus and begin using your Topaz® signature pad. Do not connect the pad to your computer until all steps are complete. To ensure this is the software for your signature pad model, check by looking at the sticker on the back of the device and comparing it to the "Compatible Models List" under "Links".

After SigPlus® has been installed (see required steps below), Topaz offers several plug-ins, utilities, SDKs, demos, source code, and more to meet your application needs. To view more options, select a category under "Links".

NOTE: If your company has already provided you with software to sign documents electronically, you should not install SigPlus. Speak with your IT department if you are unsure on how to proceed.

Links

- Epic User Installation
- Compatible Models List
- Plug-Ins & Utilities
- SDKs & Demos
- Remote Usage Set-Up
- Universal User Manual
- SigPlus Main Menu

Required Steps

Step 1

Download the Topaz SigPlus software for use with your Topaz signature pad to your computer's desktop. **Right-click on the "Download SigPlus" icon displayed here**, select "Save Link As", and choose the desktop as the save location to begin the download.

Step 2

NOTE: For pad models ending in "HSX-R" or "HSX-RG", select "HSB (USB Type)" during software installation. For other models, select your correct suffix or connection type.

Double-click on the SigPlus icon on your desktop (similar to the one displayed here) to begin installation. Depending on your security settings, you may need to login to Windows as an "Administrator" to begin the installation, or right-click on the SigPlus icon and select "Run as administrator".





Click below to start the installation process.




Show all X


8. Click on “Next” once the installer prompt pops-up.




9. Click “Next” again.




10. Click "Next", unless you want to install the software to somewhere else.




11. Select "T-L".




12. Select "T-LBK460 or T-L460".




13. Select "HSB (USB type)" if your hardware is USB if not select "Com 1".




14. Click on “Agree”.




15. Select “No” if you don’t want a demo of the software, select “Yes” if you want a demo of the software.



16. Click on "Finish" and you're have installed the software.



17. Now that we have installed the software, we will need to restart the PC but let's first install the Adobe Plugin.



18. Once on this page navigate down the section name PDF Plug-Ins & Apps

Topaz plug-ins, applications, and tools provide Topaz signature capabilities without the need to sign PDFs, Word documents, Excel spreadsheets, etc.

PDF Plug-Ins & Apps

[pDoc Signer >](#)

Create, edit, fill-out, and sign forms and PDFs with a biometric signature using your Topaz signature pad or GemView tablet display, without the need for Adobe Acrobat or Reader.

[Adobe Acrobat Plug-In >](#)

Sign PDFs using your Topaz signature pad in Adobe Acrobat on PCs and Macs.

[pDoc Signer Duo >](#)

Send PDFs from a PC to your Topaz GemView tablet display for signing.




[Navigate to "Adobe Acrobat Plug-In"](#)

19. Once you hit the next page download the plugin on the right-hand side of the page.

[Download Plug-In for PCs](#)


[Hit the "Download Plug-In for PCs" button on the following page.](#)

20. Hit Agree on the License Agreement.




21. If needed, confirm the file location. When prompted hit OK/Finish. Installation of plugin is complete.


22. Search for "Adobe Acrobat DC" at the Windows search menu.




23. Go to "Edit" and select "Preferences".




24. Look for “Signature” and then click on “More” at “Creation & Appearance”.




25. Select “Topaz.GemSignPlus” as the “Default Signing Method”. Select “PKCS#7 – Detached” as the “Default Signing Format”. Change “Prevent Signing Until Warnings are Reviewed” and make sure it’s set to “Never”. Click “OK” when you’re done. (NOTE: If the options don’t exist restart your computer and come back to this step).



26. Click on “More” at where it says “Verification”.



27. Select “Always use the default methods” and use “Topaz.GenSignPlus” as the default method. Click “OK” when you are done.



28.

29. Once you finish previous step you are done; you can exit adobe if you wish.