



UNIVERSITYof **HOUSTON**

INTERIOR CAMPUS SIGN PROGRAM

DESIGN GUIDELINES

Update v.6 06.05.2020

Creation Dates v.1 01.14.14 v.2 10.31.17 v.3 01.15.18 v.4 05.07.19 v.5 10.22.19

UH Interiors Sign Program Standards Guide V.6

UPDATES THAT APPEAR IN v.6

Global

Title blocks update
Drawing Set reorganized and sheet numbering updated
Thermoform acrylic added to material specifications
UH logo lockup updated

Cover Sheet updated

Sheet 00

New sign types added to Index
New project symbols added to library
Project colors and materials updated
Sign index update
General notes edited

Sheet 01

Fabrication notes updated
Plaque thickness adjusted

Sheet 02

Fabrication notes updated
Plaque thickness adjusted

Sheet 03

Fabrication notes updated
Type C dimensions updated
Installation configurations expanded

Sheet 04

Fabrication notes updated
Type E1 Sharps Disposal fabrication detailed

Sheet 05

Fabrication notes updated
Type E3 General Purpose Classroom plaque detailed

Sheet 06

Fabrication notes updated
Type M1 AED Flag and M2 Fire Extinguisher Flag added

Sheet 07

Fabrication notes updated

Sheet 08

Fabrication notes updated

Sheet 09

Fabrication notes updated
Type F Stairwell and P Occupancy updated and added

Sheet 10

Fabrication notes updated
Type F1 Stairwell plaque added

Sheet 11

Fabrication notes updated
Type F1 Stairwell plaque added

Sheet 12

Fabrication notes updated

Sheet 13

Fabrication notes updated

Sheet 14

Fabrication notes updated



ISSUE	DATE
REFERENCE SET	06.05.2020



General Notes

GENERAL NOTES FOR
FABRICATION AND INSTALLATION

THESE DRAWINGS REPRESENT DESIGN INTENT ONLY AND INDICATE THE GRAPHIC DESIGNER'S INTENTIONS FOR PRODUCT SIZES, MATERIALS, FINISHES, AND INSTALLATION. THE FABRICATOR IS REQUIRED TO PROVIDE SHOP DRAWINGS AND DETAILS FOR EACH SIGN TYPE AND, WHERE NECESSARY, TO PROVIDE DETAILED DRAWINGS STAMPED BY A LICENSED ENGINEER. SHOP DRAWINGS MUST BE APPROVED BY THE OWNER AND designLAB BEFORE FABRICATION.

1. Written dimensions on these drawings have precedence over scaled dimensions. designLab should be notified of any variations from the dimensions, materials, conditions and contract amount shown by these drawings prior to the execution of any work.

2. All sign copy should be considered to be representative and is subject to change. Refer to final approved message schedule for final copy on all signs.

3. The Fabricator or Installer shall notify designLab of any discrepancies in these documents immediately and shall not proceed or allow sub-fabricators to work in those areas until said discrepancies are resolved.

4. Fabricator is to submit shop drawings for all sign types including fabrication details, foundation and installation specifications, etc. sufficient to demonstrate the design intent of the drawings. Shop drawings shall be submitted to the Owner and designLab for approval prior to fabrication.

5. Fabricator shall conform to the intent of these drawings and specifications and submit to the Owner and designLab samples for all finishes included in their scope of work before commencement of such work.

6. Fabricator shall be responsible for all required fees and permits for the fabrication and installation of signs and shall procure these before proceeding with work.

7. Fabricator shall provide Grade 2 braille on all sign types requiring braille. This braille shall conform to ADA codes and regulations.

8. All work shall be done in accordance with all applicable codes and to the highest standards of trade practice. All sign components are to be straight, square, and true to one another. All material joints and seams are to be fabricated so that joints and seams are unnoticeable.

9. The Fabricator shall provide all engineering and stamped drawings required for exterior signage, guaranteed for local conditions.

10. Prior to commencing any work, the Fabricator or Installer who is awarded all or part of fabrication and/or installation shall review with the Owner, Architect and designLab the phasing of their work and secure approval from all parties.
11. All interior finish and trim materials are to meet Class III flame spread ratings of 76 to 200, as per applicable code.

12. The Fabricator shall warrant that all merchandise is free of defects in material or workmanship and shall provide Owner with a warranty to replace or repair any merchandise that fails to conform to above for a period of no less than one (1) year from date of final acceptance.

13. The Installer shall provide and install adequate blocking for all wall hung and wall supported items except for those items which are hung from items not in contract.

14. The Installer shall patch and repair all existing surfaces as required prior to applying new finishes. All openings, voids, or unfinished surfaces created by removal or alteration of existing work, shall be closed or patched and finished as necessary to match existing continuous surfaces or new finishes required.

15. All hangers, channels, rods and other misc. support steel shall be installed by the installer as necessary for the support of suspended equipment (signage) and shall be fastened to the existing structure in such a manner as to not compromise its existing structural integrity or fire rating.

16. The Installer shall keep the site work area(s) clear of unnecessary debris and shall keep all work area(s) secured when unattended for the duration of the installation period.

17. The Fabricator shall provide removal, backfilling and proper disposal of existing signs at locations of new signs.

18. The Installer shall clean the site of all unnecessary debris and clean all glass, chrome, and any other items before vacating the site and final Owner sign-off.

19. The documents reflect our best efforts to interpret and apply standards established by the Americans with Disabilities Act of 1991 and as set forth by the Opportunities Commission and the Department of Justice. designLab will not be held responsible for the interpretation of ADA Laws by others.

COLORS AND MATERIAL/FINISHES

PROJECT COLORS			PROJECT MATERIALS		
P1	Paint	Logo Gray to match Matthews MP03340 Grey Fog, satin	M1	Material	Painted Acrylic
P2	Paint	Dark Gray to match Matthews MP10124 Gloomy Grey, satin	M2	Material	Aluminum
P3	Paint	Red to match Matthews MP12602 Scarlata, satin	M3	Material	Vinyl
P4	Paint	Black to match Matthews MP33764 Black Indigo, satin	M4	Material	Thermoform Acrylic
P5	Paint	White to match Matthews MP32071 White Wonder, satin			
P6	Paint	Blue to match Matthews MP00359 Belize Blue, satin			
V1	Vinyl	Black to match 3M Series 220 Black			
V2	Vinyl	White to match 3M Series 220 White			
V3	Vinyl	Grey to match 3M Series 220 Dark Grey			

PROJECT SIGN INDEX

Sheet #	Type	Description	Sheet #	Type	Description
00	-	General Information	06	M	Restroom Wayfinding Flag Sign
01	A	Room ID Plaque - Flexible / with sheet clip option		M1	AED Wayfinding Flag Sign
02	B	Room ID Plaque - Permanent		M2	Fire Extinguisher Flag Sign
03	C	Room Numbering Plaque	07	G	Elevator Egress Plaque
04	D	Clear View Sheet Holder - vertical	08	H	Egress Plaque
	E	Restroom Plaque	09	F	Stairwell Plaque-stairwell side 3 floors or less
	E1	Sharps Disposal Plaque		O	Stairwell ID Plaque-occupant side
	E2	Restroom All Gender		P	Maximum Occupancy Plaque
05	E3	Mothers Room	10	F1	Stairwell Plaque-stairwell side 4 or more floors
			11	I	Type I Directory (Building)
			12	J	Directory (Department)
			13	L	Wayfinding Panel (Suspended)
			14	K	Vinyl

PROJECT TYPESTYLES

Frutiger 55 Roman
abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890

ADA Tactile Compliant

Frutiger 65 Bold
abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890

Trade Gothic Bold
abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890


Trade Gothic Medium
abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890

Trade Gothic Light
abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890


Optical Compliant

PROJECT SYMBOLS





- Acetate inserts by client
- Print on laser printer, cut to fit - 2 3/8" x 8 1/2"
- Required Font - Helvetica light upper and lower case



Fabrication Notes


- A** 1/8" Thermoform plaque painted [MP32071 White Wonder, satin]. Plaque applied to 1/4" back plate painted [MP32071 White Wonder, satin].
- B** Visible seam
- C** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- D** Braille painted [MP32071 White Wonder, satin]
- E** 1/16" undersize back spacer plate, white
- G** Sheet clip strip/painted acrylic [MP32071 White Wonder, satin] - OPTIONAL FEATURE
- F** Acrylic square painted [Matthews MP12602 Scarlata, satin]

Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic






Sign Type

A
Room Plaque
(Flexible)


Sheet
No.

01



Mounting Guidelines (wall)

Sign to mount with VHB foam tape and silicone



Glass installation location requires first surface, opaque white vinyl applied prior to mounting plaque. Plaque to mount to vinyl

Fabrication Notes

- A** 1/8" Thermoform plaque painted [MP32071 White Wonder, satin]. Plaque applied to 1/4" back plate painted [MP32071 White Wonder, satin].
- B** Visible seam
- C** Raised letters all capitals, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- D** Braille painted [MP32071 White Wonder, satin]
- E** 1/16" undersize back spacer plate, white
- G** Acrylic square painted [Matthews MP12602 Scarlata, satin]

Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes


- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic

Sign Type


B
Room Plaque
(Permanent)

Sheet
No.


02




Type C, Numbering Plaque




Side View



Mounting Guidelines (wall)
Sign to mount with foam tape and silicone




Glass installation location requires first surface, opaque white vinyl applied prior to mounting plaque. Plaque to mount to vinyl




Type D, Clear View Sheet Holder


Aluminum sheet holder sized for an 8 1/2 x 11" vertical sht.
Clear acrylic lens face




vertical
Paper inserts produced by client
Reference. Sheet insert holders stack as additions to sign type A or B.



Side View TYP



Mounting Guidelines (wall - Hallway side)
As single holders or in multiples
Sign to mount with VHB foam tape and silicone



Mounting Guidelines (E3, D and P)
(Interior wall - Occupant Side)
Sign to mount with VHB foam tape and silicone

Fabrication Notes


- A 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- B Raised letters, painted [Matthews MP10124 Gloomy Grey, satin]
- C Braille painted [MP32071 White Wonder, satin]
- D 1/16" undersize spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors

- P1 Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2 Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3 Paint Red to match
Matthews MP12602 Scarlata, satin
- P4 Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5 Paint White to match
Matthews MP32071 White Wonder, satin


Material/Finishes

- M1 Material Painted Acrylic
- M2 Material Aluminum
- M3 Material Vinyl
- M4 Material Thermoform Acrylic



Layout (TYPICAL MEN AND WOMEN)

Type E




Side View



Type E2 (ALL GENDER RESTROOM)




Type E3 (MOTHERS ROOM)



Type E1 (SHARPS DISPOSAL)

Sharps Disposal plaque positions above restroom plaque.
1/4" acrylic plaque painted with screen printed text.
1/16" undersize space plate, painted [MP32071 White Wonder, satin]



Fabrication Notes

- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- B** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersize space plate, painted [MP32071 White Wonder, satin]
- E** Square graphic painted [Matthews MP12602 Scarlata, satin]

Paint Colors

- P1** Paint Logo Gray to match **Matthews MP03340 Grey Fog, satin**
- P2** Paint Dark Gray to match **Matthews MP10124 Gloomy Grey, satin**
- P3** Paint Red to match **Matthews MP12602 Scarlata, satin**
- P4** Paint Black to match **Matthews MP33764 Black Indigo, satin**
- P5** Paint White to match **Matthews MP32071 White Wonder, satin**

- P6** Paint Sharps Sign to match **Matthews MP00359 Belize Blue**

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic





Sign Type E4

General Purpose
Classroom Information
Plaque

Sheet
No.

05





Paper inserts produced by owner

Reference. Sheet insert holders stack as additions to sign type E4.

Type D, Clear View Sheet Holder


Aluminum sheet holder sized for an 8 1/2 x 11" vertical sht.

Clear acrylic lens face



Sign to mount with VHB foam tape and silicone

NOTE : Plaque should NOT be applied to glass side panels when present. Placement should be within close proximity to entry door as space allows.



Mounting Guidelines (E3, D and P)
(Interior wall - Occupant Side)

Sign to mount with VHB foam tape and silicone

Fabrication Notes


- A** 1/4 " acrylic plaque painted [MP32071 White Wonder, satin]
- B** Digital applied text - Color Match P2 and P3 as indicated
- C** 1/16" Undersize space plate, painted [MP32071 White Wonder, satin]

Paint Colors


- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes


- M1** Material Painted Acrylic



M1	Material	Painted Acrylic
M2	Material	Aluminum
M3	Material	Vinyl
M4	Material	Thermoform Acrylic



Side View



Mounting Guidelines (wall)
Sign to mount with VHB foam tape and silicone

Fabrication Notes


- A** 1/4" acrylic plaque painted [MP32071 White Wonder, satin]
B Screen printed graphics and text [Matthews MP10124 Gloomy Grey, satin]
Matthews MP03340 Grey Fog, satin] [Matthews MP12602 Scarlata, satin]
C 1/16" undersize spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors


- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
P2 Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
P3 Paint Red to match
Matthews MP12602 Scarlata, satin
P4 Paint Black to match
Matthews MP33764 Black Indigo, satin
P5 Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1** Material Painted Acrylic
M2 Material Aluminum
M3 Material Vinyl
M4 Material Thermoform Acrylic



Side View



Mounting Guidelines (wall)
Sign to mount with VHB foam tape and silicone

Fabrication Notes


- A** 1/4" acrylic plaque painted [MP32071 White Wonder, satin]
- B** Screen printed graphics and text [Matthews MP10124 Gloomy Grey, satin]
Matthews MP03340 Grey Fog, satin] [Matthews MP12602 Scarlata, satin]
- C** 1/16" undersize spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin


Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic



Type F, Stairwell / Level Identification Plaque - Stairwell Side

NOTE: SIGN TYPE F IS TO BE USED IN BUILDINGS WITH THREE (3) OR FEWER LEVELS
FOR BUILDINGS FOUR FLOORS AND TALLER REFER TO SIGN TYPE F1




Screen printed text to match P2. Painted Acrylic


Type P, Maximum Occupancy Plaque

NOTE: SIGN TYPE P IS REQUIRED IN ALL SPACES
RATED FOR FIFTY (50) OR MORE OCCUPANTS

PROVIDE ONE SIGN PER SPACE. LOCATE PROMINENTLY
ON OCCUPANT SIDE NEAR AN ENTRY DOOR.



Mounting Guidelines
(Interior wall - Occupant Side)
Sign to mount with VHB foam tape
and silicone



Mounting Guidelines (Wall - Hallway Side)
Sign to mount with VHB foam tape
and silicone

Fabrication Notes


- A 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- B Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- C Braille painted [MP32071 White Wonder, satin]
- D 1/16" undersize spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors

- P1 Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2 Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3 Paint Red to match
Matthews MP12602 Scarlata, satin
- P4 Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5 Paint White to match
Matthews MP32071 White Wonder, satin


Material/Finishes

- M1 Material Painted Acrylic
- M2 Material Aluminum
- M3 Material Vinyl
- M4 Material Thermoform Acrylic



NOTE: SIGN TYPE F1 TO BE USED IN BUILDINGS WITH FOUR (4) OR MORE FLOORS

Side View



Mounting Guidelines (Wall-Stairwell Side)
Sign to mount with VHB foam tape and silicone

Fabrication Notes

- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin] first surface
- B** Raised letters and graphics painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersize spacer plate, painted [MP32071 White Wonder, satin]


Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin


Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic


Sign Type
F1
Stairwell Plaque
(Stairwell Side)
4 or More Floors




SIGN FONT FAMILY - FRUTIGER
CHANGEABLE TEXT PANELS - HELVETICA FAMILY



Side View



Changeable text panels



Mounting Guidelines (wall)
Sign to pin mount with silicone

Fabrication Notes


- A** 1/2" back panel painted [MP32071 White Wonder, satin]
- B** Header, 1/4" acrylic panel painted [MP32071 White Wonder, satin]
digital printed panel mounted to acrylic back panel
- C** Footer, digital printed acrylic panel mounted to acrylic back panel (satin finish)
- D** Aluminum channels to house digital inserts
- E** Digital produced inserts printed on 3/16" (5mm) white PVC panel - [Sintra]
Fabricator to provide inserts based on Owner/Architect's message schedule
- G** Painted acrylic sections [Matthews MP12602 Scarlata, satin], White vinyl text

Paint Colors



- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic



SIGN FONT FAMILY - FRUTIGER
CHANGEABLE TEXT PANEL - HELVETICA FAMILY



Fabrication Notes

- A** 1/2" acrylic back panel painted [MP32071 White Wonder, satin]
- B** Header, 1/4" acrylic panel painted [MP32071 White Wonder, satin]
digital printed panel mounted to acrylic back panel
- C** Acrylic footer band, to match Matthews MP33764 Black Indigo, satin
- D** Aluminum channels to house digital inserts
Fabricator to provide inserts based on Owner/Architect's message schedule
- E** Digital inserts direct print to 3/16" white foam-core



Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic

Sign Type
J
Directory
(Department)



Sample Layouts
NOTE: INSTALLATION METHOD TO BE DETERMINED BY CEILING TYPE

Fabrication Notes

- A** 1/8" acrylic panels painted [MP32071 White Wonder, satin]. Panels double sided.
- B** 1/4" thick center panel, edges painted [MP32071 White Wonder, satin]
- C** 1/8" thick acrylic square painted [Matthews MP12602 Scarlata, satin]
- D** Vinyl text, 3M 220 Series Dark Grey
- E** 1/2"anodized aluminum U channel - satin
- F** Light weight mounting rod painted [MP32071 White Wonder, satin]

Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic

Sign Type
L
Wayfinding Panel
(Suspended)

3/4"

PLEASE KEEP DOORS CLOSED

A

FACULTY ONLY

FRUTIGER 65 BOLD

Hours 8 am to 5 pm

NOTE: REPRESENTATIVE EXAMPLES SHOWN. APPLICATIONS WILL DICTATE SIZE AND COLOR DECISIONS. DEFAULT COLOR WHITE.
GLASS APPLICATIONS SHOULD BE WHITE



Fabrication Notes

A Vinyl applied first surface [3M 220 Series]

Paint Colors

- P1

Paint

Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2

Paint

Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3

Paint

Red to match
Matthews MP12602 Scarlata, satin
- P4

Paint

Black to match
Matthews MP33764 Black Indigo, satin
- P5

Paint

White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1

Material

Painted Acrylic
- M2

Material

Aluminum
- M3

Material

Vinyl
- M4

Material

Thermoform Acrylic

Sign Type
K
Vinyl